

	<p><b>MADHYA GUJARAT VIJ COMPANY LTD</b> S.P. Vidyut Bhavan, Race Course, Vadodara - 390 007 Phone No. (0265) 2310582-86 Web Site : <a href="http://www.mgvcl.com">www.mgvcl.com</a> Fax No. (0265) 2337918/2338164 E-mail : <a href="mailto:cetech.mgvcl@gebmail.com">cetech.mgvcl@gebmail.com</a> CIN No. U40102GJ2003SGCO42907</p>	
---	---	---

**By e-mail / Fax / PCC**

No: MGVCL/Tech/Cost Data/2022-23/ 3400

Date: 19-11-22

To,  
The Superintending Engineer (O&M)/(City)  
Circle Office, MGVCL  
Baroda City/ Baroda (O&M)/ Anand/ Godhra/Nadiad

**Sub: Cost Data for erection of U/G & O/H 11KV HT line, LT line & T/C for the year 2022-23**

Ref: Approved copy vide ON. (Audit) No.: MGVCL/SE (T)/Cost Data/22-23/2141 Dt.10.11.22

Vide above ref., ON the Cost Data for the year 2022-23 is approved for erection of 11KV HT/LT line with bare conductor, T/C, Service connections of REC and Non-REC Schemes in Rural, Urban & GIDC area, HT connection, Charge for installation of CTPT unit to avail load addition/reduction, HT/LT lines using AB Cable, labour rates for erection of 10 Mtr. PSC Poles, laying of Under Ground cable cost data for the year 2022-23 which is enclosed here with.

This Cost-Data will come in force with immediate effect i.e. from Dt. 21.11.22 and no past case are to be revised including for cases where FQ issued & under payment and also FQ issued and if Time limit asked already approved. But if Time limit extension asked & not yet approved then in such cases, T.S. to be revised as per new cost Data.

  
(M.T. Sangada)  
Chief Engineer (T&O)

Encl: As above in soft copy

Copy fwcs to:

ETA to MD, MGVCL, Corporate Office, Vadodara

GM (F&A), MGVCL, Corporate Office, Vadodara.

Copy to:

SE (IT), MGVCL, Corporate Office, Vadodara

... He is requested to take necessary action for implementation in e-urja system within a week time